

DISCOVER ENHANCED SPEED

C600 RAPID PRODUCTION CLEAR AND H60 RAPID PRODUCTION HARDENER

Discover Octoral.

OCTORAL

RAPID

C600

OCTORAL

DISCOVER ENHANCED SPEED

Innovation is always at the forefront of Octoral's vision. We aim to provide body shops of today with solutions that increase efficiency and drive profitability. Using the latest technology, we have formulated a new fast-drying clear that dries in just 10 minutes at 60°C.

FAST AND VERSATILE

Where other fast-drying clears are limited to small spot repairs, advanced technology used in the C600 Rapid Production Clear ensures it can be used for fast repairs to medium-sized repairs - up to 5 panels, the complete side or front end, without compromising on the quality of the finish. The one visit application increases throughput and allows body shops to save time, materials and energy while guaranteeing a premium high gloss result.

FLEXIBILITY

The C600 Rapid Production Clear offers flexible drying properties to suit all body shop drying preferences and job scheduling. Drying in just 10 minutes when object temperatures are at 60°C or drying in 25 minutes when low baked at 40°C. For a more energy efficient option, the C600 Rapid Production Clear can be air-dried and ready to handle in just 60 minutes.

EFFICIENCY

Everything about the C600 Rapid Production Clear has been designed to drive efficiency within the repair process. Its 2:1 mixing ratio makes it quick and easy to prepare, while its back to basic application ensures minimal effort is required when working with the product. It offers good flow and levelling, which delivers an excellent appearance, and glossy finish, first time round.

HOW TO ORDER

C600 Rapid Production Clear and H60 Rapid Production Hardener are available now. The information you will need to order this product is summarised below.

RAPID PRODUCTION CLEAR

	8
OCTORAL	OCTORAL
RAPID PRODUCTION	RAPID PRODUCTION
Rapid Production Clear	Apriladorian Rindonia
Vernis Production Accélérée Bamiz de Producción Rapida	Anti-Indexistion Anti-Antoinipe
C600 5 L	(60)
OCTORAL	
RAPID PRODUCTION	WORKING I
Rapid Production Clear Efficienzalizato Vernis Production Accilicies Barniz de Producción Rapida	51
C600 11	2


Product code	C600	Product code	C600
Art. no.	502407001	Art. no.	502407003
Contents	1 L	Contents	5 L
Per box	6	Per box	3

RAPID PRODUCTION HARDENER



Product code	H60	Product code	H60
Art. no.	202122000	Art. no.	202122002
Contents	0.5 L	Contents	2.5 L
Per box	6	Per box	6

Polishable Dry to handle Dust free Minutes 120 110 100 90 80 70 60



Forced dry Air Drv Low bake 20°C* 40°C* 60°C*


* Object Temperature

FEATURES & BENEFITS:

Dries in just 10 minutes at 60°C force-dried, 25 minutes low bake at 40°C and 60 minutes when air-dried	Fa
One clear for small spot repairs to medium size repairs – up to 5 panels	Ind job
One visit application	Ind
Simple 2:1 mixing ratio & easy application	Ve qu
Robustness	Ac cli
Excellent appearance	Hi; pc

www.octoral.com

DRYING TIMES



DRY TO HANDLE TIMES

aster completion of work improves the shop's process times, naximises booth utilisation and increases job throughput

creased flexibility to use a single clear for multiple repair obs

ncreases productivity, saves time, resources and materials

ery user friendly with minimal effort required to achieve a uality end result, high in gloss and appearance

chieves a high-quality finish in all body shop conditions and limates

ligh gloss final appearance with no issues of blistering or opping.



DISCOVER VISIONARY THINKING.

Octoral is a Valspar Automotive brand. Valspar Automotive is one of the world's leading manufacturers of coatings.

MORE INFORMATION

If you would like to know more about Octoral or Valspar Automotive, go to www.octoral.com and www.valsparauto.com.

A brand by Valspar