



OCTORAL

DISCOVER OPTIMISED SPEED

C650 OPTIMUM CLEAR AND
H65 OPTIMUM HARDENER



Discover Octoral.

www.octoral.com

DISCOVER OPTIMISED SPEED AND EFFICIENCY

At Octoral, we are always looking for innovative ways that help to maximise body shop business results. Our newest clear, the C650 Optimum Clear is the perfect combination of a fast-drying clear that drives body shop efficiency. Formulated using advanced technology, this clear enables body shops to reduce process times while making significant savings against energy costs. It's not just the drying properties that allow this clear to stand out, it also delivers an excellent final appearance. The Optimum Clear is VOC compliant and works perfectly with the Octobase Eco Plus System.

FAST DRYING

The C650 Optimum Clear dries extremely quickly in all temperatures, but it excels at 60°C, drying in just 5 minutes. This shortens cycle times by 20 minutes when compared with other universal clears which allows for increased productivity and spray booth throughput while enabling energy and cost savings.

ENERGY FRIENDLY SOLUTION

Forward-thinking body shops are always looking for new opportunities to drive sustainable growth. The C650 Optimum Clear significantly reduces energy consumption, saving against rising energy costs. Air drying in just 45 minutes can help create a more profitable workflow on the shop floor, as it frees up resources in the spray booth.

Spray booth utilisation is one of the highest energy consumers for body shops. A fast-drying clear that dries in 5, or 15 minutes at low temperatures or even air-dried can help significantly reduce overall consumption. The C650 Optimum Clear is the perfect solution for body shops looking to drive productivity while keeping a close eye on energy usage.

RAPID DRYING AT ALL TEMPERATURES

The C650 Optimum Clear provides rapid drying times in all conditions and temperatures.

HIGH GLOSS FINISH

The C650 Optimum Clear produces a high gloss surface and excellent final appearance. The finish is robust which allows for excellent polishing – it's polishable after 60 minutes when air-dried or even quicker at 60°C.

EASY AND EFFECTIVE

Mixed at an easy 1:1 ratio with the dedicated H65 Optimum Hardener, preparation is simple. It also offers good application with excellent spray and levelling properties to deliver an even, seamless surface. It only requires a one visit application, removing the need for flash offs. It's perfect for use on small and medium-sized repairs - from fast spot repairs up to 3 panels.

For the best results when using this clear, please refer to the Technical Data Sheet and Best Practice Guide.

OPTIMUM CLEAR

Product code	C650
Art. no.	502408003
Contents	5 L
Per box	3



OPTIMUM HARDENERS


Product code	H65
Art. no.	202124003
Contents	5 L
Per box	3

Product code	HW65
Art. no.	306201007
Contents	250 mL
Per box	16



DRYING TIMES

- Polishable
- Dry to handle
- Dust free



Air Dry
20°C*

Low Bake
40°C*

Forced Dry
60°C*

* Object Temperature

THREE DRYING OPTIONS TO SUIT YOUR BUSINESS NEEDS

ENERGY-EFFICIENCY

PRODUCTIVITY

EFFICIENT

BALANCED

PRODUCTIVITY

EFFICIENT

STANDARD

PRODUCTIVITY

EFFICIENT

FEATURES & BENEFITS:

Fast drying	Reduces energy consumption and allows for significant savings against energy costs
One visit application	Increases productivity, saves time, resources and materials
1:1 mixing ratio	Simple and straightforward preparation
Appearance	High gloss and excellent final appearance
Application window	Suitable for small fast repairs to medium sized repair work – up to 3 panels
Multiple fast drying option	Increase spray booth throughput when baking and decrease overall process times



OCTORAL

DISCOVER VISIONARY THINKING.

Octoral is a Valspar Automotive brand.
Valspar Automotive is one of the world's
leading manufacturers of coatings.

MORE INFORMATION

If you would like to know more about Octoral
or Valspar Automotive, go to
www.octoral.com and www.valsparauto.com.