



The shelf life applies to unopened containers that are stored under normal storage conditions between 10-30°C / 50-86°F.

SHELF LIFE OVERVIEW

OCTOBASE ECO PLUS SYSTEM

Product code	Product name	Years
W00	Octobase Eco Plus System White	2
W01	Octobase Eco Plus System Flop Additive	2
W02	Octobase Eco Plus System Xirallic Blue	3
W03	Octobase Eco Plus System Xirallic Red	3
W10	Octobase Eco Plus System Extra White	2
W11	Octobase Eco Plus System Metallic Coarse	3
W13	Octobase Eco Plus System Metallic Bright NF	2
W14	Octobase Eco Plus System Metallic Bright	3
W157	Octobase Eco Plus System Translucent Maroon	1
W17	Octobase Eco Plus System Metallic Very Fine	2
W18	Octobase Eco Plus System Metallic Very Course	3
W20	Octobase Eco Plus System Metallic	2
W21	Octobase Eco Plus System Super Jet Black	2
W22	Octobase Eco Plus System Mica White Very Fine	3
W23	Octobase Eco Plus System Base Additive	1½
W24	Octobase Eco Plus System Mica Blue Fine	3
W25	Octobase Eco Plus System Metallic Gold	2
W26	Octobase Eco Plus System Xirallic Green	3
W27	Octobase Eco Plus System Xirallic Gold	3
W29	Octobase Eco Plus System Xirallic White	3
W298	Octobase Eco Plus System Metallic Bright Red	2
W34	Octobase Eco Plus System Mica Copper	3
W35	Octobase Eco Plus System Mica Purple	3
W36	Octobase Eco Plus System Mica Green Blue	3
W37	Octobase Eco Plus System Mica Yellow	3
W38	Octobase Eco Plus System Mica Green	3
W39	Octobase Eco Plus System Mica Blue	3
W40	Octobase Eco Plus System Mica Red	3
W41	Octobase Eco Plus System Mica White Fine	3
W43	Octobase Eco Plus System Transparent Red	2
W44	Octobase Eco Plus System Transparent Medium Red	3
W45	Octobase Eco Plus System Transparent Red	2
W46	Octobase Eco Plus System Mica Red	3
W47	Octobase Eco Plus System Mica White	3
W48	Octobase Eco Plus System Mica Red Fine	3
W49	Octobase Eco Plus System Transparent Red Brown	3



The shelf life applies to unopened containers that are stored under normal storage conditions between 10-30°C / 50-86°F.

SHELF LIFE OVERVIEW OCTOBASE ECO PLUS SYSTEM

Product code	Product name	Years
W50	Octobase Eco Plus System Deep Black	3
W52	Octobase Eco Plus System Transparent Orange	3
W53	Octobase Eco Plus System Transparent Yellow	2
W539	Octobase Eco Plus System Metallic Bright Blue	2
W54	Octobase Eco Plus System Blue Green	2
W548	Octobase Eco Plus System Bright Green Blue	2
W57	Octobase Eco Plus System Transparent Yellow Green	1
W58	Octobase Eco Plus System Leadfree Yellow	2
W60	Octobase Eco Plus System Leadfree Yellow Orange	2
W62	Octobase Eco Plus System Red	3
W66	Octobase Eco Plus System Bright Blue	2
W70	Octobase Eco Plus System Violet	3
W71	Octobase Eco Plus System Violet	2
W72	Octobase Eco Plus System Oxide Trans- parent Brown	3
W73	Octobase Eco Plus System Oxide Transparent Yellow	2
W74	Octobase Eco Plus System Purple Red	3
W76	Octobase Eco Plus System Blue Green	2
W77	Octobase Eco Plus System Metallic Bright Orange	2
W78	Octobase Eco Plus System Transparent Bright Red	2
W79	Octobase Eco Plus System Oxide Red	3
W80	Octobase Eco Plus System Green	3
W81	Octobase Eco Plus System Maroon	2
W816	Octobase Eco Plus System Metallic Bright Red	2
W88	Octobase Eco Plus System Mix Black	2
W89	Octobase Eco Plus System Deep Black	2
W909	Octobase Eco Plus System Disorient Additive	2
W94	Octobase Eco Plus System Green	2
W96	Octobase Eco Plus System Maroon	2
W969	Octobase Eco Plus System Metallic Ultra Fine Bright	2
W97	Octobase Eco Plus System Blue	1½
W98	Octobase Eco Plus System Oxide Yellow	1
W99	Octobase Eco Plus System Transparent White	3
BW85	Special Effect Garnet	2
BW86	Special Effect Jade	2
BW87	Special Effect Ruby	2
BW88	Special Effect Amethyst	2



OCTORAL

SHELF LIFE OVERVIEW
OCTOBASE ECO PLUS SYSTEM

The shelf life applies to unopened containers that are stored under normal storage conditions between 10-30°C / 50-86°F.

Product code

BW89

Product name

Special Effect Emerald

Years

2



OCTORAL

SHELF LIFE OVERVIEW OCTOBASE SYSTEM

The shelf life applies to unopened containers that are stored under normal storage conditions between 10-30°C / 50-86°F.

Product code	Product name	Years
B00	Octobase System White	2
B01	Octobase System Flop Additive	2
B10	Octobase System Extra White	2
B12	Octobase System Base Additive	2
B15	Octobase System Metallic Fine	2
B16	Octobase System Metallic Bright	2
B17	Octobase System Metallic Very Fine	2
B18	Octobase System Metallic Very Course	2
B19	Octobase System Metallic Coarse	2
B20	Octobase System Metallic	2
B21	Octobase System Super Jet Black	2
B22	Octobase System Mica White Very Fine	2
B23	Octobase System Base Additive	2
B26	Octobase System Xirallic Green	2
B27	Octobase System Xirallic Gold	2
B28	Octobase System Xirallic Blue	2
B29	Octobase System Xirallic White	2
B298	Octobase System Metallic Bright Red	2
B31	Octobase System Xirallic Red	2
B33	Octobase System Metallic Gold	2
B34	Octobase System Mica Copper	2
B35	Octobase System Mica Purple	2
B36	Octobase System Mica Green Blue	2
B37	Octobase System Mica Yellow	2
B38	Octobase System Mica Green	2
B39	Octobase System Mica Blue	2
B40	Octobase System Mica Red	2
B41	Octobase System Mica White Fine	2
B42	Octobase System Orange	2
B43	Octobase System Transparent Red	2
B44	Octobase System Transparent Medium Red	2
B45	Octobase System Transparent Red	2
B46	Octobase System Mica Red	2
B47	Octobase System Mica White	2
B48	Octobase System Mica Red Fine	2
B49	Octobase System Transparent Red Brown	2



OCTORAL

SHELF LIFE OVERVIEW OCTOBASE SYSTEM

The shelf life applies to unopened containers that are stored under normal storage conditions between 10-30°C / 50-86°F.

Product code	Product name	Years
B52	Octobase System Transparent Orange	2
B529F	Octobase System Mica Blue Fine	2
B54	Octobase System Blue Green	2
B548	Octobase System Bright Green Blue	2
B55	Octobase System Deep Blue	2
B56	Octobase System Purple Red	2
B57	Octobase System Transparent Yellow Green	2
B58	Octobase System Leadfree Yellow	2
B60	Octobase System Leadfree Yellow Orange	2
B63	Octobase System Red	2
B70	Octobase System Violet	2
B72	Octobase System Oxide Transparent Brown	2
B73	Octobase System Oxide Transparent Yellow	2
B77	Octobase System Metallic Bright Orange	2
B78	Octobase System Transparent Bright Red	2
B79	Octobase System Oxide Red	2
B81	Octobase System Maroon	2
B816	Octobase System Metallic Bright Red	2
B88	Octobase System Mix Black	2
B89	Octobase System Deep Black	2
B909	Octobase System Disorient Additive	2
B94	Octobase System Green	2
B95	Octobase System Bright Blue	2
B969	Octobase System Metallic Ultra Fine Bright	2
B97	Octobase System Blue	2
B98	Octobase System Oxide Yellow	2
B99	Octobase System Transparent White	2
BL30	Octobase System Graphitan	2
IB903	Moto Additive Black	4
IB904	Moto Additive Brown	4
IB906	Moto Additive Yellow	4
IB907	Moto Additive Blue	4
IB908	Moto Additive Orange	4
IB909	Moto Additive Red	4



The shelf life applies to unopened containers that are stored under normal storage conditions between 10-30°C / 50-86°F.

SHELF LIFE OVERVIEW OCTOCRYL SYSTEM

Product code	Product name	Years
A00	Octocryl System White	2
A01	Octocryl System Fleet Additive	2
A10	Octocryl System Extra White	2
A19	Octocryl System Metallic Coarse	2
A50	Octocryl System Deep Black	2
A54	Octocryl System Blue Green	2
A56	Octocryl System Purple Red	2
A57	Octocryl System Transparent Yellow Green	2
A58	Octocryl System Leadfree Yellow	2
A60	Octocryl System Leadfree Yellow Orange	2
A63	Octocryl System Red	2
A64	Octocryl System Leadfree Orange	2
A66	Octocryl System Blue	2
A75	Octocryl System Leadfree Yellow	2
A79	Octocryl System Oxide Red	2
A81	Octocryl System Maroon	2
A88	Octocryl System Mix Black	2
A91	Octocryl System Mix Black	2
A94	Octocryl System Green	2
A98	Octocryl System Oxide Yellow	2



The shelf life applies to unopened containers that are stored under normal storage conditions between 10-30°C / 50-86°F.

SHELF LIFE OVERVIEW OCTOCOAT HS420 SYSTEM

Product code	Product name	Years
F00	Octocoat HS420 System White	2
F54	Octocoat HS420 System Blue Green	2
F56	Octocoat HS420 System Purple Red	2
F57	Octocoat HS420 System Transparent Yellow Green	2
F58	Octocoat HS420 System Leadfree Yellow	2
F60	Octocoat HS420 System Leadfree Yellow Orange	2
F63	Octocoat HS420 System Red	2
F64	Octocoat HS420 System Leadfree Orange	2
F66	Octocoat HS420 System Blue	2
F75	Octocoat HS420 System Leadfree Yellow	2
F79	Octocoat HS420 System Oxide Red	2
F81	Octocoat HS420 System Maroon	2
F89	Octocoat HS420 System Deep Black	2
F91	Octocoat HS420 System Mix Black	2
F94	Octocoat HS420 System Green	2
F98	Octocoat HS420 System Oxide Yellow	2



The shelf life applies to unopened containers that are stored under normal storage conditions between 10-30°C / 50-86°F.

SHELF LIFE OVERVIEW PRIMERS / SURFACERS

Product code	Product name	Years
P540A	Prime Universal - Gray	2
P540B	Prime Universal - Black	2
P540W	Prime Universal - White	2
PA35	UV Active Primer	2
PA65	1K Plastic Primer	3
PA7	Grey Shade 1K Primer, Mid Grey GS907	10
PA75	1K Primer	1
PE130	Epoxy Primer White	2
PE130	Epoxy Primer Grey	2
PF131	HS Surfacer Grey	2
PF131	HS Surfacer White	2
PF131	HS Surfacer Black	2
PF132	HS Tinting Surfacer	2
PF135	2K Surfacer Grey	2
PF310	Low VOC Primer White	2
PF340	Low VOC Primer Black	2
PF800	Primer Surfacer/Sealer	2
PF88	DTM Epoxy Primer	2
PH254	High Production Non-Sanding Primer Grey GS907	2
PH254	High Production Non-Sanding Primer Black GS901	2
PH254	High Production Non-Sanding Primer White GS903	2
PW170	Washprimer	2



The shelf life applies to unopened containers that are stored under normal storage conditions between 10-30°C / 50-86°F.

SHELF LIFE OVERVIEW

BODY FILLERS

Product code	Product name	Years
BF10	Universal Body Filler Light	1
BF40	Fibreglass Body Filler	1
BF50	High Build Body Filler White	1
BF60	High Build Body Filler Grey	1
BF70	Aluminium Body Filler	1
PA80	Polyester Spray Filler	1



The shelf life applies to unopened containers that are stored under normal storage conditions between 10-30°C / 50-86°F.

SHELF LIFE OVERVIEW CLEARS

Product code	Product name	Years
C100	Standard Clear Coat	2
C150	HS Clear Coat	2
C240	MS Clear Coat	2
C250	HS Scratch Resistant Clear	2
C280	HS420 Clear Coat	2
C300	HS420 Speed Clear	2
C40	Air Dry Clear Coat	2
C400	HS420 Air Dry Clear Coat	2
C401	HS420 High Production Clear	2
C450	Scratch Resistant Rapid Repair Clear	2
C50	2K (41) Clear Coat	2
C500	HS420 Superb Clear Coat	2
C60	2K Clear Coat	2
C65	MS Clear Coat Matt	2
C800	HS Production Clear Coat	2
C801	Air Dry Clear Coat Low VOC	2
C97	MS Clear Coat	2
CM267	HS Low Gloss Clear Coat	2
CM269	HS Semi Gloss Clear Coat	2
EC95	Euro Clear Coat	2



The shelf life applies to unopened containers that are stored under normal storage conditions between 10-30°C / 50-86°F.

SHELF LIFE OVERVIEW HARDENER

Product code	Product name	Years
H100	Standard Clear Hardener Fast	7
H101	Standard Clear Hardener Medium	7
H102	Standard Clear Hardener Slow	7
H12	H12 2K Hardener Air Dry	1
H13	2K Hardener Very Fast	1
H130	Epoxy Primer Hardener	2
H14	2K Hardener Fast	2
H144	Air Dry Hardener Medium	2
H146	Air Dry Hardener Slow	2
H15	2K Hardener Medium	2
H16	2K Hardener Slow	2
H170	Washprimer Hardener	2
H23	HS420 Hardener Very Fast	1
H24	HS420 Hardener Fast	1
H25	HS420 Hardener Medium	2
H26	HS420 Hardener Slow	2
H34	MS Hardener Fast	1
H35	MS Hardener Medium	2
H36	MS Hardener Slow	2
H49	HS420 Speed Clear Hardener	2
H50	2K 41 Hardener Medium	2
H53	HS Hardener Very Fast	1
H54	HS Hardener Fast	2
H55	HS Hardener Medium	2
H56	HS Hardener Slow	2
H80	Primer Surfacer/Sealer Hardener Fast	2
H81	Primer Surfacer/Sealer Hardener Medium	2
H82	Primer Surfacer/Sealer Hardener Slow	2
H86	DTM HB Hardener	1
H88	DTM Epoxy Primer Hardener	7
H90	Low VOC Hardener	2
H94	Euro Clear Hardener Fast	2
H95	Euro Clear Hardener Medium	2
H96	Euro Clear Hardener Slow	2
H97C	Hardener MS	2
HM260	HS Matt Hardener	2



The shelf life applies to unopened containers that are stored under normal storage conditions between 10-30°C / 50-86°F.

SHELF LIFE OVERVIEW THINNERS

Product code	Product name	Years
PE420	HS420 Special Thinner	2
TA800	Primer Surfacer/Sealer Thinner Fast	2
TA810	Primer Surfacer/Sealer Thinner Medium	2
TA820	Primer Surfacer/Sealer Thinner Slow	2
TA855	2K Spot Repair Thinner	5
TA875	Fade-Out Thinner	5
TA880	DTM Epoxy Primer Thinner Fast	7
TA881	DTM Epoxy Primer Thinner Medium	7
TA900	Uni Thinner Fast	5
TA910	Uni Thinner Medium	5
TA920	Uni Thinner Slow	5
TA930	TA930 Uni Thinner Very Slow	2
TA960	Uni Thinner Ultra Slow	5
TH730	HS Thinner Very Slow	5
TM261	HS Matt Thinner	5
TU35	UV Primer Blancer	5
TW80	Octobase Eco Thinner	5
TW81	Octobase Eco Thinner Slow	5
TZ01	Thinner Zero VOC	2



The shelf life applies to unopened containers that are stored under normal storage conditions between 10-30°C / 50-86°F.

SHELF LIFE OVERVIEW VARIOUS

Product code	Product name	Years
A850	Production Additive	2
A851	Production Additive Air Dry	2
AB001	AB001 1K Binder	2
AE001	2K Elastic	2
AM002	2K Matting Agent	2
AM004	HS Matting Agent	2
AP101	HS420 Speed Clear Additive	2
AP871	HS420 Cure Booster	2
AT001	HS Taping Additive	2
AW001	Octobase Eco Underhood Additive	1
MP10	Low VOC 1K Plastic Adhesion Promoter	2
TD20	Silicone Remover	5
TD25	Antistatic Degreaser	5
TD80	Octobase Eco Degreaser	5
TDW35	Octobase Eco Degreaser	3
TR80	Octobase Eco Gun Cleaner	5
TRW40	Octobase Eco Gun Cleaner	3